```
=> fil req
FILE 'REGISTRY' ENTERED AT 17:22:47 ON 28 MAR 2005
                                                                EIC 1700
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
                                                                  Search
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)
=> d his ful
     FILE 'LREGISTRY' ENTERED AT 14:49:32 ON 28 MAR 2005
L1
                STR
     FILE 'HCAPLUS' ENTERED AT 15:13:48 ON 28 MAR 2005
L2
              1 SEA ABB=ON PLU=ON US20040241493/PN
                D SCAN
                SEL RN
     FILE 'REGISTRY' ENTERED AT 15:14:14 ON 28 MAR 2005
              7 SEA ABB=ON PLU=ON (1749-19-5/BI OR 62-53-3/BI OR
L3
                717927-65-6/BI OR 718597-63-8/BI OR 718597-64-9/BI OR
                98-86-2/BI OR 98-98-6/BI)
                STR L1
L4
L5
                STR L4
L6
              0 SEA SSS SAM L5
L7
                SCR 1918
L8
                SCR 1965
L9
              8 SEA SSS SAM L5 AND L7 AND L8
                D SCAN
L10
            553 SEA SSS FUL L5 AND L7 AND L8
                SAV L10 YAM679/A
L11
                STR L5
L12
              1 SEA SUB=L10 SSS SAM L11
                D SCAN
              2 SEA SUB=L10 SSS FUL L11
L13
L14
            551 SEA ABB=ON PLU=ON L10 NOT L13
                SAV L13 YAM808/A
                D SCAN L13
     FILE 'HCAPLUS' ENTERED AT 17:02:59 ON 28 MAR 2005
L15
              1 SEA ABB=ON PLU=ON L13
                D SCAN
L16
            165 SEA ABB=ON PLU=ON L14
L17
              1 SEA ABB=ON PLU=ON L16 AND L2
          83138 SEA ABB=ON PLU=ON (ELECTROLUM!N? OR ORGANOLUM!N? OR
L18
                (ELECTRO OR ORGANO OR ORG#) (2A) LUM!N? OR
LIGHT? (2A) (EMI
                T? OR EMISSION?) OR EL OR E(W)L OR L(W)E(W)D OR
```

OLED) / IB, AB OR LED/IT

| L19 | 3 SEA ABB=ON PLU=ON L16 AND L18 |
|-----|---|
| L20 | 11 SEA ABB=ON PLU=ON L16 AND OPTICAL?/SC,SX |
| L21 | 11 SEA ABB=ON PLU=ON L19 OR L20 |
| L22 | 3 SEA ABB=ON PLU=ON L16 AND DEV/RL |
| L23 | 11 SEA ABB=ON PLU=ON L21 OR L22 |
| L24 | 7 SEA ABB=ON PLU=ON L16 AND (?LUMINES? OR LIGHT? OR |
| | ?EMIT? OR LED OR OLED OR LUMIN? OR PHOSPHORES? OR |
| • | FLUORES?) |
| L25 | 15 SEA ABB=ON PLU=ON L23 OR L24 |
| | D FHITSTR |
| | D FHITSTR L24 |

FILE 'REGISTRY' ENTERED AT 17:20:42 ON 28 MAR 2005 D QUE L16

FILE 'HCAPLUS' ENTERED AT 17:21:14 ON 28 MAR 2005
D L25 1-15 IBIB ABS HITSTR HITIND
D QUE L16
D COST

FILE 'REGISTRY' ENTERED AT 17:22:47 ON 28 MAR 2005

FILE HOME

FILE LREGISTRY
LREGISTRY IS A STATIC LEARNING FILE

FILE HCAPLUS

Copyright of the articles to which records in this database refer

held by the publishers listed in the PUBLISHER (PB) field (availab

for records published or updated in Chemical Abstracts after Decem


26, 1996), unless otherwise indicated in the original publications

The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in sea

databases on STN. Any dissemination, distribution, copying, or st

of this information, without the prior written consent of CAS, is strictly prohibited.

=> d que 115



VAR G2=15/35/43/55/25 VAR G3=O/C VAR G4=O/NVAR G5=C/S REP G6 = (0-1) C NODE ATTRIBUTES: **NSPEC** IS RC AT 12 **NSPEC** IS RC TA13 **NSPEC** IS RC AT 14 IS RC **NSPEC** AT 15 **NSPEC** IS RC AT 16 **NSPEC** IS RC AT25 **NSPEC** IS RC AΤ 26 **NSPEC** IS RC AT 34

IS RC DEFAULT MLEVEL IS ATOM

IS RC

IS RC

IS RC

NSPEC

NSPEC

NSPEC

NSPEC

DEFAULT ECLEVEL IS LIMITED

AT

AT

AT

AT

35

42

43

55

```
GRAPH ATTRIBUTES:
```

RING(S) ARE ISOLATED OR EMBEDDED


NUMBER OF NODES IS 55


STEREO ATTRIBUTES: NONE

L7 SCR 1918 L8 SCR 1965

L10 553 SEA FILE=REGISTRY SSS FUL L5 AND L7 AND L8

L11 STR





VAR G1=AK/CB/CY

VAR G2=15/35/43/55/25

VAR G3=O/C

VAR G4=O/N

NODE ATTRIBUTES:

NSPEC IS RC ΑT 12 **NSPEC** IS RC ΑT 13 **NSPEC** IS RC AΤ 14 **NSPEC** IS RC AT 15 NSPEC IS RC AT 16 **NSPEC** IS RC AT25 **NSPEC** IS RC AT 26 NSPEC IS RC AT 34 **NSPEC** IS RC AT 35 NSPEC IS RC AT 42
NSPEC IS RC AT 43
NSPEC IS RC AT 55
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 54

STEREO ATTRIBUTES: NONE

L13 2 SEA FILE=REGISTRY SUB=L10 SSS FUL L11 L15 1 SEA FILE=HCAPLUS ABB=ON PLU=ON L13

=> fil hcap

FILE 'HCAPLUS' ENTERED AT 17:23:26 ON 28 MAR 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

=> d l15 ibib abs hitstr hitind

L15 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:467905 HCAPLUS

DOCUMENT NUMBER: 141:44677

TITLE: Phosphorescent compound and

electroluminescent

element including the same

INVENTOR(S): Seo, Satoshi; Inoue, Hideko; Tokuda, Atsushi;

Nomura, Ryoji

PATENT ASSIGNEE(S): Semiconductor Energy Laboratory Co., Ltd.,

Japan

Patent

SOURCE: PCT Int. Appl., 47 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

WO 2004048395 A1 20040610 WO 2003-JP14816

USHA SHRESTHA EIC 1700 REM 4B28